

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of:

Kensaku IMAI et al.

Serial No.: Not Yet Assigned

Group Art Unit:

Filed: Concurrently Herewith

Examiner:

For: METHOD AND APPARATUS FOR AUTOMATICALLY REMOVING VECTOR UNIT

IN DNA BASE SEQUENCE

STATEMENTS REGARDING SEQUENCE LISTINGS

Assistant Commissioner for Patents Washington, D.C. 20231

Sir:

Attached is a paper copy of a "Sequence Listing."

An acceptable computer readable form is on file with the parent application Serial No. 08/684,674, so no additional computer-readable copy is being submitted herewith.

I hereby state that the content of the attached paper copy and the computer readable copy on file of the Sequence Listing, submitted in accordance with 37 C.F.R. §1.821(c) and (e), respectively are the same.

I hereby state that the submission, filed in accordance with 37 C.F.R. §1.821(g), herein does not include new matter.

Respectfully submitted,

Date:

William F. Herbert

Registration No. 31,024

STAAS & HALSEY 700 Eleventh Street, N.W. Suite 500

5/20/0/

Washington, D.C. 20001

SEQUENCE LISTING

- (1) GENERAL INFORMATION:
 - (i) APPLICANT: IMAI, Kensaku KITAJIMA, Masato
- (ii) TITLE OF INVENTION: METHOD AND APPARATUS FOR AUTOMATICALLY

REMOVING VECTOR UNIT IN DNA BASE SEQUENCE

- (iii) NUMBER OF SEQUENCES: 19
 - (iv) CORRESPONDENCE ADDRESS:
 - (A) ADDRESSEE: Staas & Halsey
 - (B) STREET: 700 Eleventh Street, N.W., Suite 500
 - (C) CITY: Washington
 - (D) STATE: DC
 - (E) COUNTRY: US
 - (F) ZIP: 20001
 - (v) COMPUTER READABLE FORM:
 - (A) MEDIUM TYPE: Floppy disk
 - (B) COMPUTER: IBM PC compatible
 - (C) OPERATING SYSTEM: PC-DOS/MS-DOS
 - (D) SOFTWARE: PatentIn Release #1.0, Version #1.30
 - (vi) CURRENT APPLICATION DATA:
 - (A) APPLICATION NUMBER: US 08/684,674
 - (B) FILING DATE: 22-JUL-1996
 - (C) CLASSIFICATION:
- (viii) ATTORNEY/AGENT INFORMATION:
 - (A) NAME: Herbert, William F.
 - (B) REGISTRATION NUMBER: 31,024
 - (C) REFERENCE/DOCKET NUMBER: 862.1335/WFH
 - (ix) TELECOMMUNICATION INFORMATION:
 - (A) TELEPHONE: 2024341500
 - (B) TELEFAX: 2024341501
- (2) INFORMATION FOR SEQ ID NO:1:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 57
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: double
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: DNA (genomic)

(XI) SEQUENCE DESCRIPTION: SEQ ID NO:I:	
AAGCTTGCAT GCCTGCAGGT CGACTCTAGA GGATCCCCGG GTACCGAGCT CGAATTC	57
(2) INFORMATION FOR SEQ ID NO:2:	
 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 18 (B) TYPE: nucleic acid (C) STRANDEDNESS: double (D) TOPOLOGY: linear 	
(ii) MOLECULE TYPE: DNA (genomic)	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:2:	
TGCACTTGAA CGCATGCT	
	18
(2) INFORMATION FOR SEQ ID NO:3:	
(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 17 (B) TYPE: nucleic acid (C) STRANDEDNESS: double (D) TOPOLOGY: linear (ii) MOLECULE TYPE: DNA (genomic)	
(ii) MOLECULE TYPE: DNA (genomic)	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:3:	
TGCACTTGAA CGCTGCT	17
(2) INFORMATION FOR SEQ ID NO:4:	
 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 17 (B) TYPE: nucleic acid (C) STRANDEDNESS: double (D) TOPOLOGY: linear 	
(ii) MOLECULE TYPE: DNA (genomic)	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:4:	
TGCACTTGAC GCATGCT	17

(2) INFORMATION FOR SEQ ID NO:5:	
 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 17 (B) TYPE: nucleic acid (C) STRANDEDNESS: double (D) TOPOLOGY: linear 	
(ii) MOLECULE TYPE: DNA (genomic)	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:5:	
TGCACTTGAC GCATGCT	17
(2) INFORMATION FOR SEQ ID NO:6:	_,
(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 17 (B) TYPE: nucleic acid (C) STRANDEDNESS: double (D) TOPOLOGY: linear	
(ii) MOLECULE TYPE: DNA (genomic)	
TGCCTTGAAC GCATGCT	
	17
(2) INFORMATION FOR SEQ ID NO:7:	
(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 2686 (B) TYPE: nucleic acid (C) STRANDEDNESS: double (D) TOPOLOGY: linear	
(ii) MOLECULE TYPE: DNA (genomic)	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:7:	
TCGCGCGTTT CGGTGATGAC GGTGAAAACC TCTGACACAT GCAGCTCCCG GAGACGGTCA	60
CAGCTTGTCT GTAAGCGGAT GCCGGGAGCA GACAAGCCCG TCAGGGCGCG TCAGCGGGTG	60
TTGGCGGGTG TCGGGGCTGG CTTAACTATG CGGCATCAGA GCAGATTGTA CTGAGAGTGC	120
The state of the s	1 2 0

r' a				~		
, sa .						
ACCATATGCG	GTGTGAAATA	CCGCACAGAT	GCGTAAGGAG	AAAATACCGC	ATCAGGCGCC	240
				GGTGCGGGCC		300
TACGCCAGCT	GGCGAAAGGG	GGATGTGCTG	CAAGGCGATT	AAGTTGGGTA	ACGCCAGGGT	360
TTTCCCAGTC	ACGACGTTGT	AAAACGACGG	CCAGTGCCAA	GCTTGCATGC	CTGCAGGTCG	420
ACTCTAGAGG	ATCCCCGGGT	ACCGAGCTCG	AATTCGTAAT	CATGGTCATA	GCTGTTTCCT	480
GTGTGAAATT	GTTATCCGCT	CACAATTCCA	CACAACATAC	GAGCCGGAAG	CATAAAGTGT	540
AAAGCCTGGG	GTGCCTAATG	AGTGAGCTAA	CTCACATTAA	TTGCGTTGCG	CTCACTGCCC	600
GCTTTCCAGT	CGGGAAACCT	GTCGTGCCAG	CTGCATTAAT	GAATCGGCCA	ACGCGCGGGG	660
AGAGGCGGTT	TGCGTATTGG	GCGCTCTTCC	GCTTCCTCGC	TCACTGACTC	GCTGCGCTCG	720
GTCGTTCGGC	TGCGGCGAGC	GGTATCAGCT	CACTCAAAGG	CGGTAATACG	GTTATCCACA	780
GAATCAGGGG	ATAACGCAGG	AAAGAACATG	TGAGCAAAAG	GCCAGCAAAA	GGCCAGGAAC	840
CGTAAAAAGG	CCGCGTTGCT	GGCGTTTTTC	CATAGGCTCC	GCCCCCTGA	CGAGCATCAC	900
AAAAATCGAC	GCTCAAGTCA	GAGGTGGCGA	AACCCGACAG	GACTATAAAG	ATACCAGGCG	960
TTTCCCCCTG	GAAGCTCCCT	CGTGCGCTCT	CCTGTTCCGA	CCCTGCCGCT	TACCGGATAC	1020
CTGTCCGCCT	TTCTCCCTTC	GGGAAGCGTG	GCGCTTTCTC	AAAGCTCACG	CTGTAGGTAT	1080
CTCAGTTCGG	TGTAGGTCGT	TCGCTCCAAG	CTGGGCTGTG	TGCACGAACC	CCCCGTTCAG	1140
CCCGACCGCT	GCGCCTTATC	CGGTAACTAT	CGTCTTGAGT	CCAACCCGGT	AAGACACGAC	1200
TTATCGCCAC	TGGCAGCAGC	CACTGGTAAC	AGGATTAGCA	GAGCGAGGTA	TGTAGGCGGT	1260
GCTACAGAGT	TCTTGAAGTG	GTGGCCTAAC	TACGGCTACA	CTAGAAGAAC	AGTATTTGGT	1320
ATCTGCGCTC	TGCTGAAGCC	AGTTACCTTC	GGAAAAAGAG	TTGGTAGCTC	TTGATCCGGC	1380
AAACAAACCA	CCGCTGGTAG	CGGTGGTTTT	TTTGTTTGCA	AGCAGCAGAT	TACGCGCAGA	1440
AAAAAAGGAT	CTCAAGAAGA	TCCTTTGATC	TTTTCTACGG	GGTCTGACGC	TCAGTGGAAC	1500
GAAAACTCAC	GTTAAGGGAT	TTTGGTCATG	AGATTATCAA	AAAGGATCTT	CACCTAGATC	1560
CTTTTAAATT	AAAAATGAAG	TTTTAAATCA	ATCTAAAGTA	TATATGAGTA	AACTTGGTCT	1620
GACAGTTACC	AATGCTTAAT	CAGTGAGGCA	CCTATCTCAG	CGATCTGTCT	ATTTCGTTCA	1680
TCCATAGTTG	CCTGACTCCC	CGTCGTGTAG	ATAACTACGA	TACGGGAGGG	CTTACCATCT	1740
GGCCCCAGTG	CTGCAATGAT	ACCGCGAGAC	CCACGCTCAC	CGGCTCCAGA	TTTATCAGCA	1800

ATAAACCAGC	CAGCCGGAAG	GGCCGAGCGC	AGAAGTGGTC	CTGCAACTTT	ATCCGCCTCC	1860
ATCCAGTCTA	TTAATTGTTG	CCGGGAAGCT	AGAGTAAGTA	GTTCGCCAGT	TAATAGTTTG	1920
CGCAACGTTG	TTGCCATTGC	TACAGGCATC	GTGGTGTCAC	GCTCGTCGTT	TGGTATGGCT	1980
TCATTCAGCT	CCGGTTCCCA	ACGATCAAGG	CGAGTTACAT	GATCCCCCAT	GTTGTGCAAA	2040
AAAGCGGTTA	GCTCCTTCGG	TCCTCCGATC	GTTGTCAGAA	GTAAGTTGGC	CGCAGTGTTA	2100
TCACTCATGG	TTATGGCAGC	ACTGCATAAT	TCTCTTACTG	TCATGCCATC	CGTAAGATGC	2160
TTTTCTGTGA	CTGGTGAGTA	CTCAACCAAG	TCATTCTGAG	AATAGTGTAT	GCGGCGACCG	2220
AGTTGCTCTT	GCCCGGCGTC	AATACGGGAT	AATACCGCGC	CACATAGCAG	AACTTTAAAA	2280
GTGCTCATCA	TTGGAAAACG	TTCTTCGGGG	CGAAAACTCT	CAAGGATCTT	ACCGCTGTTG	2340
AGATCCAGTT	CGATGTAACC	CACTCGTGCA	CCCAACTGAT	CTTCAGCATC	TTTTACTTTC	2400
ACCAGCGTTT	CTGGGTGAGC	AAAAACAGGA	AGGCAAAATG	CCGCAAAAAA	GGGAATAAGG	2460
GCGACACGGA	AATGTTGAAT	ACTCATACTC	TTCCTTTTTC	AATATTATTG	AAGCATTTAT	2520
CAGGGTTATT	GTCTCATGAG	CGGATACATA	TTTGAATGTA	TTTAGAAAAA	TAAACAAATA	2580
GGGGTTCCGC	GCACATTTCC	CCGAAAAGTG	CCACCTGACG	TCTAAGAAAC	CATTATTATC	2640
ATGACATTAA	CCTATAAAAA	TAGGCGTATC	ACGAGGCCCT	TTCGTC		2686
(0)						

(2) INFORMATION FOR SEQ ID NO:8:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 66
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: double
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: DNA (genomic)

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:8:

GTGCCAAGCT TGCATGCCTG CAGGTCGACT CTAGAGGATC CCCGGTACCG AGCTCGAATT 60
CGTAAT 66

- (2) INFORMATION FOR SEQ ID NO:9:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 6
 - (B) TYPE: nucleic acid

(ii)	MOLECULE TYPE: DNA (genomic)	
(xi)	SEQUENCE DESCRIPTION: SEQ ID NO:9:	6
2) INFO	RMATION FOR SEQ ID NO:10:	
	SEQUENCE CHARACTERISTICS: (A) LENGTH: 6 (B) TYPE: nucleic acid (C) STRANDEDNESS: double (D) TOPOLOGY: linear MOLECULE TYPE: DNA (genomic)	
(ii)	MOLECULE TYPE: DNA (genomic)	
(xi) CATGC	SEQUENCE DESCRIPTION: SEQ ID NO:10:	6
(2) INFO	RMATION FOR SEQ ID NO:11:	
(i)	SEQUENCE CHARACTERISTICS: (A) LENGTH: 6 (B) TYPE: nucleic acid (C) STRANDEDNESS: double (D) TOPOLOGY: linear	
(ii)	MOLECULE TYPE: DNA (genomic)	
(xi) CTGCAG	SEQUENCE DESCRIPTION: SEQ ID NO:11:	6
(2) INFO	RMATION FOR SEQ ID NO:12:	
(i)	SEQUENCE CHARACTERISTICS: (A) LENGTH: 6 (B) TYPE: nucleic acid (C) STRANDEDNESS: double (D) TOPOLOGY: linear	

(C) STRANDEDNESS: double
(D) TOPOLOGY: linear

(xi)	SEQUENCE DESCRIPTION: SEQ II	NO:12:
GTACC		
(2) INFO	RMATION FOR SEQ ID NO:13:	
	SEQUENCE CHARACTERISTICS: (A) LENGTH: 6 (B) TYPE: nucleic acid (C) STRANDEDNESS: double (D) TOPOLOGY: linear	
	MOLECULE TYPE: DNA (genomic) SEQUENCE DESCRIPTION: SEQ II	
(xi) CCTAGA	SEQUENCE DESCRIPTION: SEQ II) NO:13:
្នែងនេះត្រ	RMATION FOR SEQ ID NO:14:	
148 8	SEQUENCE CHARACTERISTICS: (A) LENGTH: 6 (B) TYPE: nucleic acid (C) STRANDEDNESS: double (D) TOPOLOGY: linear	
(ii)	MOLECULE TYPE: DNA (genomic)	ı
(xi)	SEQUENCE DESCRIPTION: SEQ II	NO:14:
GTCGAC		
(2) INFC	RMATION FOR SEQ ID NO:15:	
(i)	SEQUENCE CHARACTERISTICS: (A) LENGTH: 6 (B) TYPE: nucleic acid (C) STRANDEDNESS: double (D) TOPOLOGY: linear	
(i i)	MOLECULE TYPE: DNA (genomic	1

(ii) MOLECULE TYPE: DNA (genomic)

(x	i) SEQUENCE DESCRIPTION: SEQ ID NO:15:	
GTCGAC		6
(2) IN	FORMATION FOR SEQ ID NO:16:	
(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 6 (B) TYPE: nucleic acid (C) STRANDEDNESS: double (D) TOPOLOGY: linear	
(i	i) MOLECULE TYPE: DNA (genomic)	
CCCGGG	:i) SEQUENCE DESCRIPTION: SEQ ID NO:16:	6
(2) IN	FORMATION FOR SEQ ID NO:17:	
	i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 6 (B) TYPE: nucleic acid (C) STRANDEDNESS: double (D) TOPOLOGY: linear	
-(i	i) MOLECULE TYPE: DNA (genomic)	
(x	i) SEQUENCE DESCRIPTION: SEQ ID NO:17:	
GAATTC	<u>;</u>	6
(2) IN	FORMATION FOR SEQ ID NO:18:	
, , , , , , , , , , , , , , , , , , ,	(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 6 (B) TYPE: nucleic acid (C) STRANDEDNESS: double (D) TOPOLOGY: linear	
(i	i) MOLECULE TYPE: DNA (genomic)	
(32	ri) SPOURNCE DESCRIPTION, SEO ID NO.10.	

were about the south the distance of the south

CCCGGG 6

- (2) INFORMATION FOR SEQ ID NO:19:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 6
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: double
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: DNA (genomic)
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:19:

GAATIC 6

रिक्का पुरस्का पुरस्का पुरस्का